

GTIN: 00363323711009

500 mg per vial*

Leucovorin
Calcium
for Injection

NDC 63323-711-00

NDC 63323-711-00

Leucovorin
Calcium
for Injection

500 mg per vial*



FRESENIUS
KABI

Lake Zurich, IL 60047

www.fresenius-kabi.com/us

Leucovorin
Calcium
for Injection

500 mg per vial*

Lyophilized.

***Each vial contains:** Leucovorin calcium equivalent to 500 mg leucovorin as the base and 450 mg sodium chloride. Sodium hydroxide and/or hydrochloric acid may be added for pH adjustment. pH adjusted to approximately 7.8.

When reconstituted with 50 mL sterile water for injection, USP or bacteriostatic water for injection, USP (preserved with benzyl alcohol), each mL contains leucovorin calcium equivalent to 10 mg leucovorin.

Reconstitution: Reconstitute with bacteriostatic water for injection, USP (preserved with benzyl alcohol) and use within 7 days, or with sterile water for injection, USP and use immediately.

Do not use preservative-containing solution for doses greater than 10 mg/m² (see WARNINGS).

Usual dosage: See package insert.

FRESENIUS
KABI

Sample label. Please see package insert
for complete prescribing information.

NDC 63323-711-00

701100

Leucovorin
Calcium
for Injection

500 mg per vial*

For intravenous or
intramuscular use.

Rx only

FRESENIUS
KABI

Leucovorin
Calcium
for Injection

500 mg per vial*

Store dry product and reconstituted solution at: 20° to 25°C (68° to 77°F) [see USP Controlled Room Temperature]. Protect from light (keep in outer carton).

The container closure is not made with natural rubber latex.

FRESENIUS
KABI

621135E